

1.INDETIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Indentifier

Trade name SF Metallic Pigment Relevant identified uses of the substance or mixture and uses advised against: Pigmenting Floor Coatings Uses advised against: All other uses Details of the supplier of the safety data sheet Manufacturer: South Fork Concrete Coatings : Metallic Pigment Powder : colouring agent

ADDRESS: 717 Riverside Dr SE, North Bend, WA 98045

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.	
1272/2008(CLP)	: not classified
According to Directive 67/548/EEC &	
Directive 1999/45/EC	: not classified
Additional information	: not available
Label elements	
GHS label elements	: not applicable
Hazard pictogram(s)	: not applicable
Signal word(s)	: not applicable
Hazard statement(s)	: not applicable
Precautionary statement(s)	: not applicable
Other hazards	: not known

3.COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- iron oxide -ultramarine blue .Contains no hazardous ingredients

Commen	CAS No.	EINECS No.	Colour Index	Chemical	Hazard classification
chemical name				composition	According to directive
					67/548/EEC & Directive
					1999/45/EC, Regulation (EC)
					No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	46-51	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	48-53	Not classified
Iron oxide	1309-37-1	215-168-2	77491	0-1	Not classified
Ultramarine blue	57455-37-5	309-928-3	77707	0-1	Not classified



SF Metallic Pigment

REVISION DATE JAN 2018

According to ECRegulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010 REVISION DATE: 01-21-2018

4. FIRST AID MEASURES

Description of first aid measures	
Inhalation: in case of accident by inhalation	: remove causality to fresh air and keep at rest
Skin contact	: wash affected skin with plenty of water
Eye contact	: if contact with eyes directly, flush with gently flowing fresh water
	thoroughly; If eye irritation persists, get medical advice/attention
Ingestion	: if ingested, wash out mouth with water, drink milk or egg white
Notes to physician	: no special measures are required
Most important systems and effects,	
Both acute and delayed	
Actue	: none
Long term (repeated)	: may cause irritation to the respiratory system. Cough. Increased
	difficulty in breathing
Indication of immediate medical attention	and special treatment needed
Recommended	:a. Chest XRay
	b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media	
Suitable extinguishing media	: extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media	: carbon dioxide
Special hazards arising from the substa	nce or mixture
Thermal hazards	: noncombustible. None anticipated
Advice for firefighters	: fire fighters should wear complete protective clothing including self-
	contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emgergency procedures

Personal precautions	: do not breathe dust
Personal protection equipment	: wear appropriate personal protective equipment, avoid direct contact
In case of emergency	: a self contained breathing apparatus and suitable protective clothing should
	be worn in fire conditions
Environmental precautions	: do not allow to enter drains, sewers or watercourses
Methods and material for	
Containment and cleaning up	: collect mechanically and dispose of according to Section 13. Use vacuum equipment
	for collecting spilt materials, where practicable
Reference to other sections	: see sections 8 and 13
In case of emergency Environmental precautions Methods and material for Containment and cleaning up	 : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions : do not allow to enter drains, sewers or watercourses : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable

SAFETY DATA SHEET 717 Riverside Dr SE • North Bend, WA 98045 • (425)888-5565 • www.sfconcretecoatings.com



SF Metallic Pigment

REVISION DATE JAN 2018

According to ECRegulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010 REVISION DATE: 01-21-2018

7. HANDLING AND STORAGE

Precautions for safe handling : avoid breathing dust Conditions for safe storage including any incompatibilities : keep container in a wellventilated place Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION
0. EXPOSORE CONTROLS / LENSONALT ROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures : not known

Exposure limit values

Exposure controls

Appropriate engineering controls :provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth :apron or other light protective clothing, boots and plastic or synthetic rubber gloves Skin protection Respiratory protection : dust mask covering nose and mouth Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: poudor
Odour	: powder
рH	: odourless
рп	: 6.0-9.0 (4% H2O)
Boiling point, °C	: not applicable
Melting point, °C	: decomposes
Freezing point, $^{\circ}$ C	: not applicable
Density	: 3.2-3.3 kg/L
Bulk density	: 31-35 g/100g
Vapour pressure	: not applicable
Solubility (in water)	: insoluble
Particle size	: 10-60µm

10. STABILITY AND REACTIVITY



SF Metallic Pigment

According to ECRegulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010 REVISION DATE: 01-21-2018

Reactivity	: there may be violent or incandescent reaction of the product with metals at high
	temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc;
	lithium)
Chemical stability	: stable under normal conditions
Possibility of hazardous reactions	: none
Conditions to avoid	: high temperature
Incompatible materials	: strongly acidic, strongly alkaline, oxidizing agents
Decomposition products	: no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity	: not available
Carcinogenicity	: not available

12. ECOLOGICAL INFORMATION		
-		
Toxicity	: no data	
Persistence and degradability	: insoluble in water. This product is predicted not to degrade in soil and water	
Bioaccumulative potentiall	: no data	
Mobility in soil	: not applicable	
Results of PBT and vPvB assessment	t : : not applicable	
Other adverse effects :	: not known	

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

: dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



SF Metallic Pigment

REVISION DATE JAN 2018

According to ECRegulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010 REVISION DATE: 01-21-2018

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)		Not ap	plicable	
Additional information	Custom tariff No. 32061900			

15.REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC

substance or mixture

: not classified as dangerous for supply/use

Safety, health and environmental

regulations/legislations specific for the

:not available

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

- ADR : European Agreement concerning international carriage of Dangerous goods by Road
- CAS : Chemical Abstracts Service
- EC : European Community
- ICAO : International Civil Aviation Organization
- IMDG : International Maritime Dangerous Goods
- IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the

best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product

properties

The information herein is given in good faith, but no warranty expressed or implied is made. South Fork Concrete Coatings urges suppliers and users of this product to evaluate its suitability and compliance with local regulations as South Fork Concrete Coatings cannot foresee the nature of the final application nor final location of usage