

**REVISION DATE JAN 2018** 

# SF Polyaspartic 85 Low Odor Part A

# **SECTION 1. PRODUCT IDENTIFICATION**

PRODUCT NAME: SF Polyaspartic 85 Low Odor Part A PRODUCT CODES: PAE85ULT-A **MANUFACTURER:** South Fork Concrete Coatings Floor Coatings **DIVISION: ADDRESS:** 717 Riverside Dr SE

North Bend, WA 98045

EMERGENCY PHONE: 800-255-3924 CHEMTEL PHONE: **OTHER CALLS:** EMAIL: **CHEMICAL NAME: CHEMICAL FAMILY: CHEMICAL FORMULA:** 

800-255-3924

lance@sfcoats.com

### **SECTION 2. HAZARDS INDENTIFICATION GHS Classification**

5 Glassification	
Skin Sensitization Flammable Liquids Skin Irritation Eye Irritation	Category 1 Category 4 Category 2 Category 2
GHS Pictogram	
Signal Word Appearance Physical State Odor Hazard Statements	Warning Clear Viscous Liquid Liquid Solvent Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May cause respiratory irritation Combustible Liquid
Precautionary Statement(s):	Do not handle until all safety precautions have been read and
Prevention	understood. Keep container tightly closed. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

SAFETY DATA SHEET

717 Riverside Dr SE • North Bend, WA 98045 • (425)888-5565• www.sfconcretecoatings.com



### SF Polyaspartic 85 Low Odor Part A

**REVISION DATE JAN 2018** 

Response	<ul> <li>IF SWALLOWED: rinse mouth. Do NOT induce vomiting.</li> <li>IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.</li> <li>IF INHALED: Remove victim to fresh air and keep comfortable for breathing.</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>Call a POISON CENTER or doctor/ physician if you feel unwell.</li> <li>Take off contaminated clothing and wash before reuse.</li> <li>If skin irritation or rash occurs: Get medical advice/ attention.</li> <li>If eye irritation persists: Get medical advice/ attention.</li> <li>In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.</li> </ul>
Storage Disposal	Store in a well-ventilated cool place. Keep container tightly closed. Store locked up.
Hazards not otherwise	Dispose of contents/ container to an approved waste disposal plant.
classified	Combustible Severe eye irritant Severe respiratory irritant May cause sensitization by skin contact

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	% by Weight
Aspartic Ester	TD	70-100
Trimethylpentanediol Diisobutyrate	6846-50-0	2-10

*Note:* This product may contain additional ingredients that are classified as non-hazards or at a very small concentration that donot meet the regulatory concentration limits for disclosure.

## **SECTION 4. FIRST-AID MEASURES**

General Advice Eye Contact	Move out of dangerous area. Consult a physician with this SDS. Seek medical advice. If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately. Immediately flush eyes with plenty of water for at least 20 minutes. Check and remove any contact lenses. Continue rinsing. Get medical attention if irritation persists.
Skin Contact	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water for at 20 minutes. Get medical attention if irritation develops or persists.
Inhalation	Move to fresh air and keep at rest in a position comfortable for breathing. If not breathing or breathing is irregular, provide artificial respiration or give oxygen by trained personnel. Get medical attention immediately.
Ingestion	Never give anything by mouth to an unconscious person. DO NOT induce vomiting. Rinse mouth with water. Get medical attention immediately.
Most Important Symptoms/ Effect, Acute and Delayed	Repeated and/or prolonged exposure to low concentrations of vapors and/or aerosols may cause: Sore throat, eye disease, skin disorders, allergies, asthma, and neurological disorders.

### **Immediate Medical Attention and Special Treatment**

Note to Physicians: Application of corticosteroid cream has been effective in treating skin irritation.



Equipment for

# SAFETY DATA SHEET

SF Polyaspartic 85 Low Odor Part A

### **SECTION 5. FIRE FIGHTING MEASURES**

Suitable Extinguishing Media For small (incipient) fires, use media such as "alcohol" foam, dry chemical. or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water. Specific Hazards Incomplete combustion may form carbon monoxide. May generate ammonia gas. May generate toxic nitrogen oxide gases. Arising from the Substances of Mixture Burning produces noxious and toxic fumes. Downwind personnel must be evacuated. Use personal protective equipment. Special Protective

Wear self-contained breathing apparatus for firefighting if necessary

Further Information

Firefighters

Do not allow run-off from firefighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Wear suitable protective clothing, gloves, and eye/face protection. Personal Precautions, Avoid breathing vapors/mist/gas. Ensure adequate ventilation. Remove all sources of ignition. Protective Equipment, and Emergency Evacuate personnel to safe areas. Producers Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8. **Environmental Precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Methods and Materials for Soak up with inert absorbent material and dispose of as Containment and Cleaning-up hazardous waste. Keep in suitable, closed containers for disposal. Additional Advice For disposal see section 13.

# **SECTION 7. HANDLING AND STORAGE**

Precautions for Safe Handling	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Put on appropriate personal protective equipment before handling. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge.
Conditions for Safe Storage	Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Hygiene Practice	Eating, drinking and smoking should be prohibited in areas where this material is handled. Wash hands thoroughly after handling.

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineer Controls** 

Use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure to airborne contaminants below recommended exposure limits.



SF Polyaspartic 85 Low Odor Part A

**REVISION DATE JAN 2018** 

<b>Personal Protection Equipment -</b> Eye/Face Protection	<ul> <li>Wear appropriate personal protective equipment where such systems are not effective to perform satisfactorily and meets OSHA or other recognized standards. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.</li> <li>Tightly fitted safety goggles.</li> <li>Face shield (8-inch minimum).</li> <li>Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).</li> </ul>
Skin Protection	<ul><li>Handle with gloves. Gloves must be inspected prior to use.</li><li>Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.</li><li>Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.</li><li>Wash and dry hands after handling or before eating, drinking, or smoking.</li></ul>
	If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection	Impervious clothing. Closed-toe shoe. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory Protection Environmental Exposure Controls	Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Prevent further leakage or spillage if safe to do so. Do not allow product enter into sewers or waterways.
	1 2

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State	Viscous liquid
Color	Clear
Odor	Solvent
Odor Threshold	No data available
рН	No data available
Melting Point / Freezing Point	No data available
<b>Boiling Point/Range</b>	No data available
Flash Point	No data available
Evaporation Rate	No data available
Flammability (solid/gas)	No data available
<b>Upper/lower Flammability Limit</b>	No data available
Vapor Pressure	No data available



SF Polyaspartic 85 Low Odor Part A

Vapor Density	No data available
Relative Density	1.010 g/cm3 at 77°F (25°C)
Water Solubility	<0.1 g/L
Partition Coefficient: n-octanol/water	No data available
Auto-Ignition Temperature	No data available
<b>Decomposition Temperature</b>	No data available
Viscosity	50-150 CPS at 77°F (25°C)
Explosive Properties	No data available
Oxidizing Properties	No data available

### SECTION 10. STABILITY AND REACTIVITY

<b>Control Parameters</b>	No data available
Chemical Stability	Stable under recommended storage conditions
Possibility of Hazardous Reaction	No data available
Conditions to Avoid	Heat, flames, sparks, and oxidizing agents
Incompatible Materials	Reactive metals (Sodium, Calcium, Zinc, etc.) Materials reactive with hydroxyl compounds Organic acids (acetic acid, citric acid, etc.) Mineral acids Sodium hypochlorite Product slowly corrodes copper, aluminum, zince, and galvanized surfaces. Reaction with peroxides may result in violent decomposition of peroxide possibly creating an explosion Oxidizing agents
Hazardous Decomposition Products	Nitric acid Ammonia Nitrogen oxides (NOx) Nitrogen oxide can react with water vapors to form corrosive nitric acid Carbon monoxide Carbon dioxide (CO2) Aldehydes Flammable hydrocarbon fragments In the event of fire: see section 5

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on the Likely Routes of Exposure

Eye Contact	Cause eye irritation	
Skin Contact	Cause skin irritation	
Inhalation	No data available	
Ingestion	No data available	
Symptoms Related to Physical, Chemical, and Toxicological Effects		
Eye Contact	Cause eye irritation	
Skin Contact	Cause skin irritation	
Inhalation	Stomachache, nausea, vomiting	
Ingestion	Dullness, vision disorder, blindness	
Chronic Toxicity / Effects from Long Torm Exposure		

#### Chronic Toxicity / Effects from Long Term Exposure

**REVISION DATE JAN 2018** 



SF Polyaspartic 85 Low Odor Part A

**REVISION DATE JAN 2018** 

Sensitization	Skin sensitizer
Germ Cell Mutagenicity	No data available
Carcinogenicity	No data available
Reproductive Toxicity	No data available
Specific Target Organ Systemic Toxicity (Single Exposure)	No data available
Specific Target Organ Systemic Toxicity (Repeated Exposure)	No data available
Products Numerical Measures of Toxic	ity –
Not determined	
Additional Information –	

#### To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12. ECOLOGICAL INFORMATION**

Aquatic Life	No data available
Persistence and Degradability	No data available
<b>Bio accumulative Potential</b>	No data available
Mobility in Soil	No data available
<b>Results of PBT and vPvB Assessment</b>	No data available as chemical safety assessment not required/not conducted
Other Adverse Effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste/Unused Products	Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. This product should not be allowed to enter drains, water courses or the soil Offer surplus and non-recyclable solutions to a licensed disposal company.
	Contact a licensed professional waste disposal service to dispose of this material. Contact supplier if guidance is required.
Contaminated Packaging	Dispose of container and unused contents in accordance with federal, state, and local requirements

### **SECTION 14. TRANSPORT INFORMATION**

DOT (US)	Not Dangerous Goods
IMO/IMDG	Not Dangerous Goods
ICAO/IATA	Not Dangerous Goods

### **SECTION 15. REGULATORY INFORMATION**

UNITED STATES	
TSCA 8 (b) Inventory Status	All Components are listed or exempt from listing on the Toxic Substances Control Act Inventory.
TSCA 12 (b) Export Notification	None above reporting de minimus
SARA 302 Components	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.



SF Polyaspartic 85 Low Odor Part A

SARA 313 Components	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
SARA 311/312 Hazards	Acute health hazard	Yes
	Chronic health hazard	No
	Fire hazard	No
	Sudden release of pressure hazard	No
	Reactive hazard	No
California Prop. 65 Components	This product may contain chemical known to the State of California to cause birth defects or other reproductive harm.	
CANADA		
CEPA DSL/NDSL Status	All components are listed or exempt from listing on the Domestic Substances List.	

### **SECTION 16. OTHER INFORMATION**

Creation Date	02/11/2014
Revision Date	01/11/2020
Version	1
HMIS Rating	
Health Hazard	2
Flammability	1
Physical Hazard	0
NFPA Rating	
Health Hazard	2
Fire Hazard	1
Reactivity Hazard	0
Disclaimer	The informa
	knowledge

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its

publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given.

**REVISION DATE JAN 2018**