

SF Polyaspartic 85 Low Odor Part B

**REVISION DATE JAN 2018** 

### **SECTION 1. IDENTIFICATION**

PRODUCT NAME: SF Polyaspartic 85 Low Odor Part B

PRODUCT CODES: PAE85ULT-B

MANUFACTURER: South Fork Concrete Coatings

**DIVISION:** Floor Coating

**ADDRESS:** 717 Riverside Dr SE North Bend,

WA 98045

**EMERGENCY PHONE**: 800-255-3924 **CHEMTEL PHONE**: 800-255-3924

OTHER CALLS:

EMAIL: INFO@EPOXY2U.COM

CHEMICAL NAME: CHEMICAL FAMILY: CHEMICAL FORMULA:

### **SECTION 2. HAZARDS INDENTIFICATION**

#### **GHS Classification**

Skin Sensitization Category 1
Respiratory Sensitization Category 1
Acute Toxicity (Inhalation) Category 4
STOT SE: Cause respiratory irritation Category 3

**GHS Pictogram** 





Signal Word DANGER

**Appearance** Clear Viscous Liquid

Physical State Liquid Odor Solvent

**Hazard Statements** Harmful if inhaled

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction May cause respiratory irritation

Precautionary Statement(s) -

Prevention Do not handle until all safety precautions have been read and understood.

Keep container tightly closed.

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves/ protective clothing/ eye protection/ face protection.



SF Polyaspartic 85 Low Odor Part A

**REVISION DATE JAN 2018** 

Response IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Store in a well-ventilated cool place. Keep container tightly closed. Store locked up. Storage

Disposal Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified Combustible

> Severe eye irritant Severe respiratory irritant

May cause sensitization by skin contact

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Components CAS Number** % by Weight 80-100 Homopolymer of Hexamethylene Diisocyanate 28182-81-2 Hexamethylene-di-isocyanate 822-06-0 < 0.9

Note: This product may contain additional ingredients that are classified as non-hazards or at a very small concentration that do not meet the regulatory concentration limits for disclosure.

### **SECTION 4. FIRST-AID MEASURES**

**General Advice** Move out of dangerous area. Consult a physician with this SDS.

Seek medical advice.

If breathing has stopped or is labored, give assisted respirations.

Supplemental oxygen may be indicated.

If the heart has stopped, trained personnel should begin cardiopulmonary

resuscitation immediately.

Immediately flush eyes with plenty of water for at least 20 minutes. **Eye Contact** 

Check and remove any contact lenses. Continue rinsing.

Get medical attention if irritation persists.

Skin Contact Take off contaminated clothing and shoes immediately.

> Wash off with soap and plenty of water for at 20 minutes. Get medical attention if irritation develops or persists.

Inhalation Move to fresh air and keep at rest in a position comfortable for breathing.

If not breathing or breathing is irregular, provide artificial respiration or give

oxygen by trained personnel. Get medical attention immediately.

Never give anything by mouth to an unconscious person. **Ingestion** 

DO NOT induce vomiting. Rinse mouth with water.

Get medical attention immediately.

Most Important Symptoms/Effect,

Repeated and/or prolonged exposure to low concentrations of vapors and/or **Acute and Delayed** 

aerosols may cause: Sore throat, eye disease, skin disorders, allergies, asthma,

and neurological disorders.

**Immediate Medical Attention and Special Treatment** 



SF Polyaspartic 85 Low Odor Part A

**REVISION DATE JAN 2018** 

#### **SECTION 5. FIRE FIGHTING MEASURES**

Suitable Extinguishing Media Foam, Powders, Carbon dioxide

**Specific Hazards Arising from the**Incomplete combustion may form carbon monoxide.

**Substances of Mixture** May generate ammonia gas. May generate toxic nitrogen oxide gases.

Burning produces noxious and toxic fumes. Downwind personnel must be evacuated.

**Special Protective Equipment for**Use personal protective equipment.

**Firefighters** Wear self-contained breathing apparatus for firefighting if necessary

**Further Information** Do not allow run-off from firefighting to enter drains or water courses.

Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions,** Wear suitable protective clothing, gloves, and eye/face protection.

**Protective Equipment,** Avoid breathing vapors/mist/gas.

and Emergency Producers Ensure adequate ventilation. Remove all sources of ignition.

Evacuate personnel to safe areas.

Beware of vapors accumulating to form explosive concentrations.

Vapors can accumulate in low areas. For personal protection see section 8.

**Environmental Precautions** Prevent further leakage or spillage if safe to do so.

Do not let product enter drains.

Discharge into the environment must be avoided.

Methods and Materials for Soak up with inert absorbent material and dispose of as hazardous waste.

**Containment and Cleaning-up** Keep in suitable, closed containers for disposal.

**Additional Advice** For disposal see section 13.

#### SECTION 7. HANDLING AND STORAGE

**Precautions for Safe Handling** Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Put on appropriate personal protective equipment before handling.

Keep away from sources of ignition - No smoking.

Take measures to prevent the buildup of electrostatic charge.

**Conditions for Safe Storage** Store in cool place.

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to

prevent leakage.

**Hygiene Practice** Eating, drinking and smoking should be prohibited in areas where this material is

handled.

Wash hands thoroughly after handling.

#### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters Hexamethylene –di-isocyanate (CAS: 822-06-0)

Threshold Limit Value: ACGIH 0.005ppm

National Institute for Occupational Safety and Health



SF Polyaspartic 85 Low Odor Part A

**REVISION DATE JAN 2018** 

**Engineer Controls**Use process enclosures, local exhaust ventilation, or other engineering controls to

keep worker exposure to airborne contaminants below recommended exposure

limits

Wear appropriate personal protective equipment where such systems are not effective to perform satisfactorily and meets OSHA or other recognized standards.

Handle in accordance with good industrial hygiene and safety practice.

Wash hands before breaks and at the end of workday.

**Personal Protection Equipment -**

**Body Protection** 

Eye/Face Protection Tightly fitted safety goggles.

Face shield (8-inch minimum).

Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU).

Skin Protection Handle with gloves. Gloves must be inspected prior to use.

Use proper glove removal technique (without touching glove's outer surface) to

avoid skin contact with this product.

Dispose of contaminated gloves after use in accordance with applicable laws and

good laboratory practices.

Wash and dry hands after handling or before eating, drinking, or smoking.

If used in solution, or mixed with other substances, and under conditions which

differ from EN 374, contact the supplier of the CE approved gloves.

This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use

by our customers.

It should not be construed as offering an approval for any specific use scenario.

Impervious clothing.

Closed-toe shoe.

Flame retardant antistatic protective clothing.

The type of protective equipment must be selected according to the concentration

and amount of the dangerous substance at the specific workplace.

Respiratory Protection Where risk assessment shows air-purifying respirators are appropriate use a full-

face respirator with multipurpose combination (US) or type ABEK (EN 14387)

respirator cartridges as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air

respirator. Use respirators and components tested and approved under appropriate

government standards such as NIOSH (US) or CEN (EU).

**Environmental Exposure Controls** Prevent further leakage or spillage if safe to do so.

Do not allow product enter into sewers or waterways.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Viscous liquid

Color Clear Odor Solvent

Odor Threshold

PH

No data available

Melting Point / Freezing Point

No data available

Modata available

No data available

No data available

Flash Point

No data available

No data available

No data available



SF Polyaspartic 85 Low Odor Part A

**REVISION DATE JAN 2018** 

Flammability (solid/gas)

Upper/lower Flammability Limit

No data available

Vapor Pressure

No data available

No data available

No data available

**Relative Density** 1.175 g/cm<sup>3</sup> at 77°F (25°C)

Water Solubility <0.1 g/L

Partition Coefficient: n-octanol/waterNo data availableAuto-Ignition TemperatureNo data availableDecomposition TemperatureNo data available

**Viscosity** 50-150 CPS at 77°F (25°C)

**Explosive Properties**No data available **Oxidizing Properties**No data available

**VOC** 0 g/L

#### SECTION 10. STABILITY AND REACTIVITY

Control Parameters No data available

Chemical Stability Stable under recommended storage conditions

Possibility of Hazardous Reaction No data available

Conditions to Avoid Heat, flames, sparks, and oxidizing agents

Incompatible Materials Reactive metals (Sodium, Calcium, Zinc, etc.)

Materials reactive with hydroxyl compounds

Organic acids (acetic acid, citric acid, etc.)

Mineral acids

Sodium hypochlorite

Product slowly corrodes copper, aluminum, zince, and galvanized surfaces. Reaction with peroxides may result in violent decomposition of peroxide possibly

creating an explosion

Oxidizing agents

**Hazardous Decomposition Products** Nitric acid

Ammonia

Nitrogen oxides (NOx)

Nitrogen oxide can react with water vapors to form corrosive nitric acid

Carbon monoxide Carbon dioxide (CO2)

Aldehydes

Flammable hydrocarbon fragments In the event of fire: see section 5

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on the Likely Routes of Exposure

Eye Contact Cause eye irritation
Skin Contact Cause skin irritation
Inhalation No data available
Ingestion No data available

Symptoms Related to Physical, Chemical, and Toxicological Effects

Eye Contact Cause eye irritation



SF Polyaspartic 85 Low Odor Part A

**REVISION DATE JAN 2018** 

Skin Contact Cause skin irritation

Inhalation Stomachache, nausea, vomiting
Ingestion Dullness, vision disorder, blindness

#### Chronic Toxicity / Effects from Long Term Exposure

Sensitization Skin sensitizer
Germ Cell Mutagenicity No data available
Carcinogenicity No data available
Reproductive Toxicity No data available
Specific Target Organ Systemic No data available

Toxicity (Single Exposure)

Specific Target Organ Systemic No data available

Toxicity (Repeated Exposure)

#### **Products Numerical Measures of Toxicity -**

Not determined

#### Additional Information -

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12. ECOLOGICAL INFORMATION**

Aquatic LifeNo data availablePersistence and DegradabilityNo data availableBio accumulative PotentialNo data availableMobility in SoilNo data available

**Results of PBT and vPvB Assessment**No data available as chemical safety assessment not required/not conducted

Other Adverse Effects

An environmental hazard cannot be excluded in the event of unprofessional

handling or disposal.

Toxic to aquatic life with long lasting effects.

#### SECTION 13. DISPOSAL CONSIDERATIONS

Waste/Unused Products Burn in a chemical incinerator equipped with an afterburner and scrubber but

exert extra care in igniting as this material is highly flammable.

This product should not be allowed to enter drains, water courses or the soil Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contact supplier if guidance is required.

Contaminated Packaging Dispose of container and unused contents in accordance with federal, state, and

local requirements

#### SECTION 14. TRANSPORT INFORMATION

**DOT (US)**Not Dangerous Goods**IMO/IMDG**Not Dangerous Goods**ICAO/IATA**Not Dangerous Goods

#### SECTION 15. REGULATORY INFORMATION

UNITED STATES

**TSCA 8 (b) Inventory Status** All Components are listed or exempt from listing on the Toxic Substances Control

Act Inventory.



SF Polyaspartic 85 Low Odor Part A

**REVISION DATE JAN 2018** 

**TSCA 12 (b) Export Notification** None above reporting de minimus

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA

Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS

numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

SARA 311/312 Hazards Acute health hazard Yes

Chronic health hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive hazard Yes

**California Prop. 65 Components**This product may contain chemicals known to the State of California to cause

birth defects or other reproductive harm.

**CANADA** 

CEPA DSL/NDSL Status All components are listed or exempt from listing on the Domestic Substances List.

### **SECTION 16. OTHER INFORMATION**

**Creation Date** 01/11/2020

**Revision Date** 

Version 1

**HMIS Rating** 

Health Hazard 2 Flammability 1 Physical Hazard 0

**NFPA Rating** 

Health Hazard 2
Fire Hazard 1
Reactivity Hazard 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its

publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given.